

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau




(43) International Publication Date
25 September 2003 (25.09.2003)

PCT

(10) International Publication Number
WO 03/078387 A1

- (51) International Patent Classification⁷: C07C 291/04, A61K 47/02, 47/12
- (21) International Application Number: PCT/GB03/01110
- (22) International Filing Date: 17 March 2003 (17.03.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
0206255.2 15 March 2002 (15.03.2002) GB
60/412,776 24 September 2002 (24.09.2002) US
- (71) Applicant (for all designated States except US): BTG INTERNATIONAL LIMITED [GB/GB]; 10 Fleet Place, Limeburner Lane, London EC4M 7SB (GB).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): DENNY, William, Alexander [NZ/NZ]; 165 Gossamer Drive, Pakuranga, Auckland (NZ). PATTERSON, Laurence, Hylton [GB/GB]; 2 Cricks Retreat, Great Glen, Leicester LE8 9FF (GB). HALBERT, Gavin, William [GB/GB]; 88 Munro Road, Glasgow G13 1SG (GB). FORD, Steven, John [GB/GB]; 6 Highfield Drive, Glasgow G12 0HF (GB).
- (54) Title: FORMULATIONS OF ANTHRAQUINONE DERIVATIVES
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(I)

(57) Abstract: A compound of formula (I): in which A is a C alkylene group with a chain length between NH and N(O)R'R" of at least 2 carbon atoms and R' and R" are each separately selected from C₁₋₄ alkyl groups and C₂₋₄ hydroxyalkyl and C₂₋₄ dihydroxyalkyl groups, or R' and R" together are a C₂₋₆ alkylene group, is formulated so that upon dissolution in aqueous solution the pH of the solution is in the range of 5 to 9. The compound may be in the form of salt with a physiologically acceptable acid having a pK_a in the range of -3.0 (minus 3.0) to 9.0.

WO 03/078387 A1